WHAT IS CLAIMED IS:

25

- 1. A map display terminal for displaying a current position on a map by deriving the current position on the basis of a position information from a satellite, comprising:
- first means for displaying a wide area map having smaller reduced scale than a detailed map and centered at said current position upon displaying said detailed map centered at said current position.
- 2. A map display terminal as set forth in claim 1, which further comprises second means for displaying the initially displayed wide area map with expansion in step-by-step manner until said detailed map is displayed.
- 15 3. A map display terminal as set forth in claim 2, wherein said second means includes means for downloading detailed map information from a server storing said detailed map information.
- 20 4. A map display terminal as set forth in claim 3, which is a portable communication terminal.
 - 5. A map display terminal as set forth in claim 4, wherein a communication between said portable communication terminal and said server is performed through a portable telephone

network.

5

- 6. A map display terminal as set forth in claim 4, wherein a communication between said portable communication terminal and said server is performed through a packet network.
- 7. A map display terminal as set forth in claim 3, wherein said second means expands display of said wide area map in step-by-step manner depending upon progress of downloading of said detailed map information.
- 8. A map display terminal as set forth in claim 4, wherein said second means includes means for calculating an expansion ratio at each display stage on the basis of a ratio of reduced scales of said wide area map and said detailed map, number of display stages, progress of downloading.
- A map display method for displaying a map of a current position by deriving said current position on the basis of a
 position information from a satellite, comprising:

first step of displaying a wide area map having smaller reduced scale than a detailed map and centered at said current position upon displaying said detailed map centered at said current position.

10. A map display method as set forth in claim 9, which further comprises second step of displaying the initially displayed wide area map with expansion in step-by-step manner until said detailed map is displayed.

5

11. A map display method as set forth in claim 10, wherein said second step includes step of downloading detailed map information from a server storing said detailed map information.

10

12. A map display method as set forth in claim 11, wherein a communication between said portable communication terminal and said server is performed through a portable telephone network.

15

- 13. A map display method as set forth in claim 11, wherein a communication between said portable communication terminal and said server is performed through a packet network.
- 20 14. A map display method as set forth in claim 11, wherein said second step expands display of said wide area map in step-by-step manner depending upon progress of downloading of said detailed map information.
- 25 15. A map display method as set forth in claim 14, wherein

said second step includes step for calculating an expansion ratio at each display stage on the basis of a ratio of reduced scales of said wide area map and said detailed map, number of display stages, progress of downloading.

5

- 16. A storage medium storing a map display control program for displaying a map of a current position by deriving said current position on the basis of a position information from a satellite, said control program comprising:
- first step of displaying a wide area map having smaller reduced scale than a detailed map and centered at said current position upon displaying said detailed map centered at said current position.
- 17. A storage medium as set forth in claim 16, which further comprises second step of displaying the initially displayed wide area map with expansion in step-by-step manner until said detailed map is displayed.